

Roofing Material: \_\_\_\_\_

Roofing Underlayment: \_\_\_\_\_

Sheathing: \_\_\_\_\_

Air Chute: \_\_\_\_\_

Windwash Material: \_\_\_\_\_

Fascia: \_\_\_\_\_

Soffit Type: \_\_\_\_\_

Header Size: \_\_\_\_\_

Material: \_\_\_\_\_

Air Barrier/House Wrap: \_\_\_\_\_

Sheathing: \_\_\_\_\_

Exterior Finish: \_\_\_\_\_

Roof Vents: \_\_\_\_\_

Truss Type: \_\_\_\_\_

Spacing: \_\_\_\_\_

Roof Pitch: \_\_\_\_\_

Attic Insulation Type: \_\_\_\_\_ R-Value: \_\_\_\_\_

Ceiling Finish: \_\_\_\_\_

Vapor Barrier: \_\_\_\_\_

Interior Wall Finish: \_\_\_\_\_

Stud Size: \_\_\_\_\_ Spacing: \_\_\_\_\_

Insulation Type: \_\_\_\_\_ R-Value: \_\_\_\_\_

Floor Joist Type: \_\_\_\_\_ Size: \_\_\_\_\_ Spacing: \_\_\_\_\_

Ceiling Finish: \_\_\_\_\_

Rim Joist Insulation Type: \_\_\_\_\_ R-value or Thickness: \_\_\_\_\_

Foundation Type: \_\_\_\_\_ Thickness: \_\_\_\_\_ Height: \_\_\_\_\_

Reinforcement Size: \_\_\_\_\_ Spacing: \_\_\_\_\_

Interior Insulation Type: \_\_\_\_\_ R-Value: \_\_\_\_\_

Interior Finish: \_\_\_\_\_

Insulation Type: \_\_\_\_\_ R-Value: \_\_\_\_\_

Vapor Barrier: \_\_\_\_\_

Floor Thickness: \_\_\_\_\_

Drain Tile Type: \_\_\_\_\_

Drains to: \_\_\_\_\_

Finish Grade Height on Wall: \_\_\_\_\_

Anchor Bolt Size: \_\_\_\_\_

Spacing: \_\_\_\_\_

Waterproofing: \_\_\_\_\_

Insulation Type: \_\_\_\_\_


R-Value: \_\_\_\_\_

Insulation Type: \_\_\_\_\_ R-Value: \_\_\_\_\_


Vapor Barrier: \_\_\_\_\_

Footing Size: \_\_\_\_\_ Reinforcement: \_\_\_\_\_


**WALL SECTION WITH BASEMENT**




**WALL SECTION  
WITH CRAWL SPACE**



**WALL SECTION:  
SLAB ON GRADE**



**WALL SECTION:  
FLOATING SLAB**



**FIGURE R403.1.3.2**  
**DOWELS FOR SLABS-ON-GROUND WITH TURNED-DOWN FOOTINGS**